

Measures

- #53: Asthma: Pharmacologic Therapy for Persistent Asthma – Ambulatory Care Setting
- #110: Preventive Care and Screening: Influenza Immunization
- #128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan
- #130: Documentation of Current Medications in the Medical Record
- #226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
- #402: Tobacco Use and Help with Quitting Among Adolescents

Reporting Instructions

(1) Identify patients with the following criteria:

- Aged 5 years and older on date of encounter
- Encounter during January 1 - December 31, 2016 with the following:
 - One of the following diagnosis codes indicating Asthma:
J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, J45.998
 - and
 - One of the following patient encounter codes:
99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341

(2) Report all applicable measures within the measures group for at least 20 patients.

- The majority of the patients reported must be Medicare Part B Fee-for-service (FFS) patients, including Medicare Secondary and Railroad Medicare.
- For each measure, the measure's clinical performance must be satisfied for at least 1 patient. [Note: An asterisk (*) indicates that the measure's clinical performance is satisfied.]

For additional information or clinical rationale for measures, review the CMS Measure Specification for 2016 PQRS. All measures group Measure Specifications can be found on the NJII Member Portal > Registry > Getting Started section.

Patient Information

First Name	Middle Initial	Last Name	Date of Birth	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Visit Date	Medical Record Number	Gender	Male	Female
<input type="text"/>	<input type="text"/>	Medicare FFS Patient	Yes	No

Select Measures Performance

(page 1 of 3)

* Recommended clinical performance satisfied
^ Patient is excluded from measure's performance

Select one (1) clinical action for each measure below, where applicable:

#53: Asthma: Pharmacologic Therapy for Persistent Asthma – Ambulatory Care Setting

Patients who were prescribed long-term control medication

- Prescribed*
- Not prescribed (Patient reason documented) ^
- Not prescribed (Patient has intermittent asthma)^
- Not prescribed (No reason documented)

#110: Preventive Care and Screening: Influenza Immunization

Patients who received an influenza immunization OR who reported previous receipt of an influenza immunization.

For Visit Date 01/01/16-03/31/16: Report if Received 08/01/15-03/31/16

For Visit Date 10/01/16-12/31/16: Report if Received 08/01/16-12/31/16

- Administered or previously received*
- Not administered (Reason documented)^
- Not administered (No reason documented)

Select Measures Performance

(page 2 of 3)

#128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

All patients ≥ 18 years old with a documented BMI during the encounter or during the previous six months, AND when the BMI is outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter

BMI calculated as normal*

BMI calculated as outside of normal range and follow-up documented*

BMI not calculated (Patient not eligible)^

BMI calculated as outside of normal range and follow-up NOT documented

BMI not calculated (No reason documented)

#130: Documentation of Current Medications in the Medical Record

(All patients ≥ 18 years old) Eligible professional attests to documenting, updating or reviewing a patient's current medications using all immediate resources available on the date of encounter. This list must include ALL known prescriptions, over-the counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosages, frequency and route of administration.

Current medications documented*

Current medications not documented (Patient not eligible)^

Current medications not documented (Reason not given)

#226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

(All patients ≥ 18 years old) Patients who were screened for tobacco use at least once within 24 months AND who received tobacco cessation counseling intervention if identified as a tobacco user

Identified as tobacco user and cessation intervention performed*

Screened for tobacco use and identified as non-user of tobacco*

Not screened for tobacco use (Medical reason documented)^

Identified as tobacco user and cessation intervention NOT performed

Not screened for tobacco use (No reason documented)

Select Measures Performance

(page 3 of 3)

#402: Tobacco Use and Help with Quitting Among Adolescents

(All patients 12-20 years old) Identified as tobacco user and cessation intervention performed.

Identified as tobacco user and cessation intervention performed*

Screened for tobacco use and identified as non-user of tobacco*

Identified as tobacco user and cessation intervention NOT performed

Not screened for tobacco use (No reason documented)