

# 2016 PQRS

## Recommended Measures for: Orthopedic Surgery



### Measures Groups

#### **Reporting Requirements:**

- Choose one (1) Measures Group
- Report on a minimum of 20 eligible patients (at least 11 must be Medicare Part B FFS patients)
- The numerator requirement must be met at least once for each reported measure

#### **Preventive Care**

#39: Screening for Osteoporosis for Women Aged 65-85 Years of Age

#48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

#110: Preventive Care and Screening: Influenza Immunization

#111: Pneumonia Vaccination Status for Older Adults

#112: Breast Cancer Screening

#113: Colorectal Cancer Screening

#128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

#134: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan

#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

#431 Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling

#### **Total Knee Replacement**

#130: Documentation of Current Medications in the Medical Record

#226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

#350: Total Knee Replacement: Shared Decision-Making: Trial of Conservative (Non-surgical) Therapy

#351: Total Knee Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation

#352: Total Knee Replacement: Preoperative Antibiotic Infusion with Proximal Tourniquet

#353: Total Knee Replacement: Identification of Implanted Prosthesis in Operative Report

### Individual Measures

#### **Reporting Requirements:**

- Report 9 measures across 3 National Quality Strategy (NQS) domains
- For each measure, report the quality action performed for at least 50% of the Medicare Part B FFS patients who are eligible for the measure.
- Include at least 1 cross-cutting measure **CC**
- The numerator requirement must be met at least once for each reported measure.

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)

# 2016 PQRS

## Recommended Measures for: Orthopedic Surgery



### Measures by Quality Domain

#### Communication and Care Coordination

- #24: Communication with the Physician or Other Clinician Managing On-going Care Post-Fracture for Men and Women Aged 50 Years and Older
- #46: Medication Reconciliation Post-Discharge **CC**
- #131: Pain Assessment and Follow-Up **CC**
- #217: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Knee Impairments
- #218: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Hip Impairments
- #219: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lower Leg, Foot or Ankle Impairments
- #220: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lumbar Spine Impairments
- #221: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Shoulder Impairments
- #222: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Elbow, Wrist or Hand Impairments
- #223: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments

#### Community/Population Health

- #110: Preventive Care and Screening: Influenza Immunization **CC**
- #226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention **CC**
- #402: Tobacco Use and Help with Quitting Among Adolescents **CC**

#### Effective Clinical Care

- #39: Screening for Osteoporosis for Women Aged 65-85 Years of Age
- #418: Osteoporosis Management in Women Who Had a Fracture

#### Patient Safety

- #21: Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin
- #22: Perioperative Care: Discontinuation of Prophylactic Parenteral Antibiotics (Non-Cardiac Procedures)
- #23: Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)
- #130: Documentation of Current Medications in the Medical Record **CC**

#### Person and Caregiver-Centered Experience and Outcomes

- #109: Osteoarthritis (OA): Function and Pain Assessment

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)

# 2016 PQRS

## Recommended Measures for: Orthopedic Surgery



### Measures Applicability Validation (MAV) Clusters

View the [2016 PQRS MAV Process for Registry-Based Reporting of Individual Measures](#) for more details.

#### Cluster 8: Osteoporosis Care

- #24: Communication with the Physician or Other Clinician Managing On-going Care Post-Fracture for Men and Women Aged 50 Years and Older
- #110: Preventive Care and Screening: Influenza Immunization **CC**
- #130: Documentation of Current Medications in the Medical Record **CC**
- #226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention **CC**
- #418: Osteoporosis Management in Women Who Had a Fracture

#### Cluster 20: Perioperative Care

- #21: Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin
- #22: Perioperative Care: Discontinuation of Prophylactic Parenteral Antibiotics (Non-Cardiac Procedures)
- #23: Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)

#### Cluster 31: Functional Care

- #217: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Knee Impairments
- #218: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Hip Impairments
- #219: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lower Leg, Foot or Ankle Impairments
- #220: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Lumbar Spine Impairments
- #221: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Shoulder Impairments
- #222: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Elbow, Wrist or Hand Impairments
- #223: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)