

# 2016 PQRS

## Recommended Measures for: Pain Management



### Measures Groups

#### **Reporting Requirements:**

- Choose one (1) Measures Group
- Report on a minimum of 20 eligible patients (at least 11 must be Medicare Part B FFS patients)
- The numerator requirement must be met at least once for each reported measure

#### **Preventive Care**

#39: Screening for Osteoporosis for Women Aged 65-85 Years of Age

#48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

#110: Preventive Care and Screening: Influenza Immunization

#111: Pneumonia Vaccination Status for Older Adults

#112: Breast Cancer Screening

#113: Colorectal Cancer Screening

#128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

#134: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan

#### **Rheumatoid Arthritis (RA)**

#108: Rheumatoid Arthritis (RA): Disease Modifying Anti-Rheumatic Drug (DMARD) Therapy

#128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

#131: Pain Assessment and Follow-Up

#176: Rheumatoid Arthritis (RA): Tuberculosis Screening

#177: Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity

#178: Rheumatoid Arthritis (RA): Functional Status Assessment

#179: Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis

#180: Rheumatoid Arthritis (RA): Glucocorticoid Management

### Individual Measures

#### **Reporting Requirements:**

- Report 9 measures across 3 National Quality Strategy (NQS) domains
- For each measure, report the quality action performed for at least 50% of the Medicare Part B FFS patients who are eligible for the measure.
- Include at least 1 cross-cutting measure **CC**
- The numerator requirement must be met at least once for each reported measure.

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)

# 2016 PQRS

## Recommended Measures for: Pain Management



### Measures by Quality Domain

#### Communication and Care Coordination

- #47: Care Plan **CC**
- #131: Pain Assessment and Follow-Up **CC**

#### Community/Population Health

- #110: Preventive Care and Screening: Influenza Immunization **CC**
- #111: Pneumonia Vaccination Status for Older Adults **CC**
- #128: Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan **CC**
- #134: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan **CC**
- #226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention **CC**
- #317: Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented **CC**
- #431: Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling **CC**

#### Effective Clinical Care

- #408: Opioid Therapy Follow-up Evaluation
- #412: Documentation of Signed Opioid Treatment Agreement
- #414: Evaluation or Interview for Risk of Opioid Misuse
- #418: Osteoporosis Management in Women Who Had a Fracture

#### Efficiency and Cost Reduction

- #65: Appropriate Treatment for Children with Upper Respiratory Infection (URI)
- #66: Appropriate Testing for Children with Pharyngitis
- #93: Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use
- #331: Adult Sinusitis: Antibiotic Prescribed for Acute Sinusitis (Overuse)
- #332: Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use)
- #333: Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse)
- #334: Adult Sinusitis: More than One Computerized Tomography (CT) Scan Within 90 Days for Chronic Sinusitis (Overuse)

#### Patient Safety

- #130: Documentation of Current Medications in the Medical Record **CC**
- #145: Radiology: Exposure Time Reported for Procedures Using Fluoroscopy
- #154: Falls: Risk Assessment **CC**

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)

# 2016 PQRS

## Recommended Measures for: Pain Management



### Person and Caregiver-Centered Experience and Outcomes

#342: Pain Brought Under Control Within 48 Hours

#358: Patient-Centered Surgical Risk Assessment and Communication

### Measures Applicability Validation (MAV) Clusters

View the [2016 PQRS MAV Process for Registry-Based Reporting of Individual Measures](#) for more details.

#### Cluster 1: Falls Care

#154: Falls: Risk Assessment **CC**

#155: Falls: Plan of Care **CC**

#### Cluster 8: Osteoporosis Care

#24: Communication with the Physician or Other Clinician Managing On-going Care Post-Fracture for Men and Women Aged 50 Years and Older

#110: Preventive Care and Screening: Influenza Immunization **CC**

#130: Documentation of Current Medications in the Medical Record **CC**

#226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention **CC**

#418: Osteoporosis Management in Women Who Had a Fracture

#### Cluster 41: General Care

#130: Documentation of Current Medications in the Medical Record **CC**

#134: Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan **CC**

#226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention **CC**

#### Cluster 43: Immunization Care

#110: Preventive Care and Screening: Influenza Immunization **CC**

#111: Pneumonia Vaccination Status for Older Adults **CC**

Need more information? Connect with NJII PQRS Registry  
973-642-4055 • [pqrs@njii.com](mailto:pqrs@njii.com) • [www.njii.com/pqrs](http://www.njii.com/pqrs)