

Measures

- #128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan
- #130 Documentation of Current Medications in the Medical Record
- #226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
- #276 Sleep Apnea: Assessment of Sleep Symptoms
- #277 Sleep Apnea: Severity Assessment at Initial Diagnosis
- #278 Sleep Apnea: Positive Airway Pressure Therapy Prescribed
- #279 Sleep Apnea: Assessment of Adherence to Positive Airway Pressure Therapy

Reporting Instructions

(1) Identify patients with the following criteria:

- Aged 18 years or older on the date of encounter
- Encounter during January 1 – December 31 with the following:
 - One of the following diagnosis codes indicating Sleep Apnea:
G47.30, G47.33
 - and
 - One of the following patient encounter codes:
99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306,
99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336,
99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350

(2) Report all applicable measures within the measures group for at least 20 patients.

- The majority of the patients reported must be Medicare Part B Fee-for-service (FFS) patients, including Medicare Secondary and Railroad Medicare.
- For each measure, the measure's clinical performance must be satisfied for at least 1 patient. [Note: An asterisk (*) indicates that the measure's clinical performance is satisfied.]

For additional information or clinical rationale for measures, review the CMS Measure Specification for 2016 PQRS. All measures group Measure Specifications can be found on the NJII Member Portal > Registry > Getting Started section.

Patient Information

First Name	Middle Initial	Last Name	Date of Birth	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Visit Date	Medical Record Number	Gender	Male	Female
<input type="text"/>	<input type="text"/>	Medicare FFS Patient	Yes	No

Select Measures Performance

(page 1 of 3)

- * Recommended clinical performance satisfied
- ^ Patient is excluded from measure's performance

Select one (1) clinical action for each measure below, where applicable:

#128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

Patients with a documented BMI during the encounter or during the previous six months, AND when the BMI is outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter

- BMI calculated as normal*
- BMI calculated as outside of normal range and follow-up documented*
- BMI not calculated (Patient not eligible)^
- BMI calculated as outside of normal range and follow-up NOT documented
- BMI not calculated (No reason documented)

#130 Documentation of Current Medications in the Medical Record

Eligible professional attests to documenting, updating or reviewing a patient's current medications using all immediate resources available on the date of encounter. This list must include ALL known prescriptions, over-the counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosages, frequency and route of administration

- Current medications documented*
- Current medications not documented (Patient not eligible) ^
- Current medications not documented (Reason not given)

Need more information? Connect with NJII PQRS Registry
973-642-4055 • pqrs@njii.com • www.njii.com/pqrs

Select Measures Performance

(page 2 of 3)

#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Patients screened for tobacco use at least once within 24 months AND received tobacco cessation counseling intervention if identified as a tobacco user

Identified as tobacco user and cessation intervention performed*

Screened for tobacco use and identified as non-user of tobacco*

Not screened for tobacco use (Medical reason documented)^

Identified as tobacco user and cessation intervention NOT performed

Not screened for tobacco use (No reason documented)

#276 Sleep Apnea: Assessment of Sleep Symptoms

Patient visits with an assessment of sleep symptoms documented, including presence or absence of snoring and daytime sleepiness

Sleep symptoms assessed*

Sleep symptoms not assessed (Reason documented)^

Sleep symptoms not documented (Reason not documented)

#277 Sleep Apnea: Severity Assessment at Initial Diagnosis

Patients who had an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) measured at the time of initial diagnosis

Severity assessed*

Severity not assessed (Reason documented)^

Severity not documented (Reason not documented)

Select Measures Performance

(page 3 of 3)

#278 Sleep Apnea: Positive Airway Pressure Therapy Prescribed

Patients with a diagnosis of moderate or severe obstructive sleep apnea who were prescribed positive airway pressure therapy

Prescribed*

Not prescribed (Mild obstructive sleep apnea)^

Not prescribed (Patient reason documented)^

Not prescribed (Reason not given)

#279 Sleep Apnea: Assessment of Adherence to Positive Airway Pressure Therapy

Patient visits with documentation that adherence to positive airway pressure therapy was objectively measured

Adherence measured and documented and positive airway pressure therapy prescribed*

Positive airway pressure therapy not prescribed^

Adherence not measured and positive airway pressure therapy was prescribed (Reason documented)^

Adherence not measured and positive airway pressure therapy was prescribed (Reason not given)