

Measures

- #39 Screening for Osteoporosis for Women Aged 65 - 85 Years of Age
- #48 Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older
- #110 Preventive Care and Screening: Influenza Immunization
- #111 Pneumonia Vaccination Status for Older Adults
- #112 Breast Cancer Screening
- #113 Colorectal Cancer Screening
- #128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan
- #134 Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan
- #226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
- #431 Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling

Reporting Instructions

- (1) Identify patients with the following criteria:
 - Aged 50 years or older on the date of encounter
 - Encounter during January 1 – December 31, 2016 with the following:
One of the following patient encounter codes: 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215
- (2) Report all applicable measures within the measures group for at least 20 patients.
 - The majority of the patients reported must be Medicare Part B Fee-for-service (FFS) patients, including Medicare Secondary and Railroad Medicare.
 - For each measure, the measure's clinical performance must be satisfied for at least 1 patient. [Note: An asterisk (*) indicates that the measure's clinical performance is satisfied.]

For additional information or clinical rationale for measures, review the CMS Measure Specification for 2016 PQRS. All measures group Measure Specifications can be found on the NJII Member Portal > Registry > Getting Started section.

Need more information? Connect with NJII PQRS Registry
973-642-4055 • pqrs@njii.com • www.njii.com/pqrs

2016 PQRS

Preventative Care Measures Group

Patient Information

First Name	Middle Initial	Last Name	Date of Birth	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Visit Date	Medical Record Number	Gender	Male	Female
<input type="text"/>	<input type="text"/>	Medicare FFS Patient	Yes	No

Select Measures Performance

(page 1 of 4)

* Recommended clinical performance satisfied
^ Patient is excluded from measure's performance

Select one (1) clinical action for each measure below, where applicable:

#39 Screening for Osteoporosis for Women Aged 65 - 85 Years of Age

The number of women who have documentation in their medical record of having received a DXA test of the hip or spine

- Performed*
- Not performed (Reason documented)^
- Not performed (No reason given)

#48 Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

Patients assessed for the presence or absence of urinary incontinence within 12 months

- Assessed*
- Not assessed (Reason documented)^
- Not assessed (No reason given)

Select Measures Performance

(page 2 of 4)

#110 Preventive Care and Screening: Influenza Immunization

Patients who received an influenza immunization OR who reported previous receipt of an influenza immunization.

For Visit Date 01/01/16-03/31/16: Report if Received 08/01/15-03/31/16

For Visit Date 10/01/16-12/31/16: Report if Received 08/01/16-12/31/16

Administered or previously received*

Not administered (Reason documented)^

Not administered (No reason documented)

#111 Pneumonia Vaccination Status for Older Adults

Patients who have received a pneumococcal vaccination

Pneumococcal vaccine administered or previously received*

Pneumococcal vaccine was not administered or previously received (No reason given)

#112 Breast Cancer Screening

Female patients with one or more mammograms any time on or between October 1, 27 months prior to December 31 of the measurement period, not to precede the patient's 50th birthday

Screening mammography results documented and reviewed*

Mammogram not performed (Medical reason documented)^

Screening mammography results not documented and reviewed (No reason documented)

#113 Colorectal Cancer Screening

Patients who had at least one or more screenings for colorectal cancer during or prior to the measurement period.

Colorectal cancer screening results documented and reviewed*

Colorectal cancer screening not performed (Medical reason documented)^

Colorectal cancer screening results not documented and reviewed (No reason documented)

Need more information? Connect with NJII PQRS Registry
973-642-4055 • pqrs@njii.com • www.njii.com/pqrs

Select Measures Performance

(page 3 of 4)

#128 Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

Patients with a documented BMI during the encounter or during the previous six months, AND when the BMI is outside of normal parameters, a follow-up plan is documented during the encounter or during the six months preceding the encounter

BMI is documented within normal parameters and no follow-up plan is required*

BMI is documented outside of normal parameters and a follow-up plan is documented*

BMI not documented; patient not eligible (medical reason documented)^

BMI is outside normal parameters, but follow-up plan is not documented; patient not eligible (medical reason documented)^

BMI not documented and no reason is given

BMI documented outside normal parameters, no follow-up plan documented, no reason given

#134 Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan

Patients screened for clinical depression on the date of the encounter using an age appropriate standardized tool AND, if positive, a follow-up plan is documented on the date of the positive screen

Screening performed and documented as negative*

Screening documented as positive with a follow-up plan*

Screening documented as positive with no follow-up plan documented (Reason documented)^

Screening documented as positive with no follow-up plan documented (Reason not documented)

Screening not performed (Reason documented)^

Screening not performed (Reason not documented)

Select Measures Performance

(page 4 of 4)

#226 Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Patients screened for tobacco use at least once within 24 months AND received tobacco cessation counseling intervention if identified as a tobacco user

Identified as tobacco user and cessation intervention performed*

Screened for tobacco use and identified as non-user of tobacco*

Not screened for tobacco use (Medical reason documented)^

Identified as tobacco user and cessation intervention NOT performed

Not screened for tobacco use (No reason documented)

#431 Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling

Patients screened at least once within the last 24 months for unhealthy alcohol use via systematic screening method AND received brief counseling if identified as an unhealthy alcohol user

Identified as an unhealthy alcohol user when screened for unhealthy alcohol use and received brief counseling performed*

Not identified as an unhealthy alcohol user when screened for unhealthy alcohol use*

Not screened for unhealthy alcohol use (Medical reason documented)^

Identified as an unhealthy alcohol user and brief counseling NOT performed

Not screened for unhealthy alcohol use (No reason documented)