


Quality Reporting Requirements:



- Report on 6 quality measures or a specialty measure set
- Include at least ONE outcome or high-priority measure
- Report on patients of All-Payers (Medicare and Non-Medicare patients)

Specialty Measure Set (73):

- **001:** Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%) - **Outcome, High Priority**
- **005:** Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD)
- **006:** Coronary Artery Disease (CAD): Antiplatelet Therapy
- **007:** Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)
- **008:** Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)
- **009:** Anti-Depressant Medication Management
- **024:** Communication with the Physician or Other Clinician Managing On-Going Care Post-Fracture for Men and Women Aged 50 Years and Older - **High Priority**
- **039:** Screening for Osteoporosis for Women Aged 65-85 Years of Age
- **047:** Advance Care Plan - **High Priority**
- **048:** Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older
- **050:** Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older - **High Priority**
- **065:** Appropriate Treatment for Children with Upper Respiratory Infection (URI) - **High Priority**
- **066:** Appropriate Testing for Children with Pharyngitis - **High Priority**
- **091:** Acute Otitis Externa (AOE): Topical Therapy - **High Priority**
- **093:** Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy - Avoidance of Inappropriate Use - **High Priority**
- **107:** Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- **109:** Osteoarthritis (OA): Function and Pain Assessment - **High Priority**
- **110:** Preventive Care and Screening: Influenza Immunization
- **111:** Pneumococcal Vaccination Status for Older Adults
- **112:** Breast Cancer Screening
- **113:** Colorectal Cancer Screening
- **116:** Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis - **High Priority**
- **117:** Diabetes: Eye Exam
- **119:** Diabetes: Medical Attention for Nephropathy
- **126:** Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy - Neurological Evaluation
- **128:** Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan
- **130:** Documentation of Current Medications in the Medical Record - **High Priority**
- **134:** Preventive Care and Screening: Screening for Depression and Follow-Up Plan
- **154:** Falls: Risk Assessment - **High Priority**
- **155:** Falls: Plan of Care - **High Priority**
- **181:** Elder Maltreatment Screen and Follow-Up Plan - **High Priority**
- **226:** Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
- **236:** Controlling High Blood Pressure - **Outcome, High Priority**
- **238:** Use of High-Risk Medications in the Elderly - **High Priority**
- **243:** Cardiac Rehabilitation Patient Referral from an Outpatient Setting - **High Priority**
- **305:** Initiation and Engagement of Alcohol and Other Drug Dependence Treatment
- **309:** Cervical Cancer Screening




- **317:** Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented
- **318:** Falls: Screening for Future Fall Risk- **High Priority**
- **321:** CAHPS for MIPS Clinician/Group Survey- **High Priority**
- **326:** Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy
- **331:** Adult Sinusitis: Antibiotic Prescribed for Acute Viral Sinusitis (Overuse)- **High Priority**
- **332:** Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use)- **High Priority**
- **333:** Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse)- **High Priority**
- **337:** Psoriasis: Tuberculosis (TB) Prevention for Patients with Psoriasis, Psoriatic Arthritis and Rheumatoid Arthritis on a Biological Immune Response Modifier
- **338:** HIV Viral Load Suppression- **Outcome, High Priority**
- **342:** Pain Brought Under Control Within 48 Hours- **Outcome, High Priority**
- **370:** Depression Remission at Twelve Months- **Outcome, High Priority**
- **371:** Depression Utilization of the PHQ-9 Tool
- **374:** Closing the Referral Loop: Receipt of Specialist Report- **High Priority**
- **377:** Functional Status Assessments for Congestive Heart Failure- **High Priority**
- **383:** Adherence to Antipsychotic Medications For Individuals with Schizophrenia- **High Priority**
- **387:** Annual Hepatitis C Virus (HCV) Screening for Patients who are Active Injection Drug Users
- **394:** Immunizations for Adolescents
- **398:** Optimal Asthma Control- **Outcome, High Priority**
- **400:** One-Time Screening for Hepatitis C Virus (HCV) for Patients at Risk
- **401:** Hepatitis C: Screening for Hepatocellular Carcinoma (HCC) in Patients with Cirrhosis
- **402:** Tobacco Use and Help with Quitting Among Adolescents
- **408:** Opioid Therapy Follow-up Evaluation- **High Priority**
- **412:** Documentation of Signed Opioid Treatment Agreement- **High Priority**
- **414:** Evaluation or Interview for Risk of Opioid Misuse
- **418:** Osteoporosis Management in Women Who Had a Fracture
- **431:** Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling
- **438:** Statin Therapy for the Prevention and Treatment of Cardiovascular Disease
- **441:** Ischemic Vascular Disease (IVD) All or None Outcome Measure (Optimal Control) – **Outcome, High Priority**
- **442:** Persistence of Beta-Blocker Treatment After a Heart Attack
- **443:** Non-Recommended Cervical Cancer Screening in Adolescent Females- **High Priority**
- **444:** Medication Management for People with Asthma- **High Priority**
- **464:** Otitis Media with Effusion: Systemic Antimicrobials - Avoidance of Inappropriate Use- **High Priority**
- **468:** Continuity of Pharmacotherapy for Opioid Use Disorder (OUD)- **High Priority**
- **472:** Appropriate Use of DXA Scans in Women Under 65 Years Who Do Not Meet the Risk Factor Profile for Osteoporotic Fracture- **High Priority**
- **474:** Zoster (Shingles) Vaccination
- **475:** HIV Screening

Additional Measures:

- **051:** Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation
- **052:** Chronic Obstructive Pulmonary Disease (COPD): Long-Acting Inhaled Bronchodilator Therapy
- **127:** Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear
- **343:** Screening Colonoscopy Adenoma Detection Rate- **Outcome, High Priority**
- **390:** Hepatitis C: Discussion and Shared Decision Making Surrounding Treatment Options- **High Priority**
- **391:** Follow-Up After Hospitalization for Mental Illness (FUH) - **High Priority**

Promoting Interoperability (PI) Reporting Requirements:




- Use of a 2015 Certified Electronic Health Record System (CEHRT)
- Report the measures from each of the four objectives, unless an exclusion is claimed.

Objectives	Measures	Maximum Points
Protect Patient Health Information	Security Risk Analysis	0 points
e-Prescribing	e-Prescribing*	10 points
	<i>Bonus: Query of Prescription Drug Monitoring Program (PDMP)</i>	5 bonus points
	<i>Bonus: Verify Opioid Treatment Agreement</i>	5 bonus points
Health Information Exchange	Support Electronic Referral Loops by Sending Health Information*	20 points
	Support Electronic Referral Loops by Receiving and Incorporating Health Information*	20 points
Provider to Patient Exchange	Provide Patients Electronic Access to Their Health Information	40 points
Public Health and Clinical Data Exchange	<u>Report to two different public health agencies or clinical data registries for any of the following:</u> Immunization Registry Reporting* Electronic Case Reporting * Public Health Registry Reporting* Clinical Data Registry Reporting* Syndromic Surveillance Reporting*	10 points

Bolded text in the table denotes required measures.

*Exclusion available for measures identified.

Improvement Activities (IA) Reporting Requirements:



Attest to up to 4 activities for a minimum of 90 days

Choose one of the following combinations:

- 2 High Weighted Activities
- 1 High Weighted Activity and 2 Medium Weighted Activates
- 4 Medium Weighted Activities


Medium Weighted:

- IA_PSPA_5: Annual registration in the Prescription Drug Monitoring Program
- IA_PSPA_18: Measurement and improvement at the practice and panel level
- IA_PM_13: Chronic Care and Preventative Care Management for Empaneled Patients
- IA_BE_4: Engagement of patients through implementation of improvements in patient portal
- IA_CC_2: Implementation of improvements that contribute to more timely communication of test results
- IA_PM_16: Implementation of medication management practice improvements
- IA_BE_13: Regularly assess the patient experience of care through surveys, advisory councils and/or other mechanisms.
- IA_CC_4: TCPI participation
- IA_PSPA_16: Use of decision support and standardized treatment protocols
- IA_CC_13: Practice improvements for bilateral exchange of patient information
- IA_BMH_2: Tobacco use

High Weighted:

- IA_BE_6: Collection and follow-up on patient experience and satisfaction data on beneficiary engagement
- IA_PSPA_11: Participation in CAHPS or other supplemental questionnaire
- IA_EPA_1: Provide 24/7 Access to MIPS Eligible Clinicians or Groups Who Have Real-Time Access to Patient's Medical Record

Cost Reporting Requirements:



- CMS will use data from Medicare Part A and B claims—with dates of service from January 1, 2019 to December 31, 2019—to calculate your Cost performance category score.
- You do not need to submit any data or take any separate actions for this performance category
- MIPS eligible clinicians should continue to see patients and submit claims data as usual.

Measure	Minimum Case Volume	Maximum Points
Total Per Capita Costs for All Attributed Beneficiaries	20	10
Medicare Spending Per Beneficiary	35	10
Elective Outpatient Percutaneous Coronary Intervention (PCI)	10	N/A – Not Scored
Knee Arthroplasty	10	10
Revascularization for Lower Extremity Chronic Critical Limb Ischemia	10	10
Routine Cataract Removal with Intraocular Lens (IOL) Implantation	10	10
Screening/Surveillance Colonoscopy	10	N/A – Not Scored
Intracranial Hemorrhage or Cerebral Infarction	20	10
Simple Pneumonia with Hospitalization	20	10
ST-Elevation Myocardial Infarction (STEMI) with Percutaneous Coronary Intervention (PCI)	20	N/A – Not Scored