


Quality Reporting Requirements:



- Report on 6 quality measures or a specialty measure set
- Include at least ONE outcome or high-priority measure
- Report on patients of All-Payers (Medicare and Non-Medicare patients)


Specialty Measure Set (22):

- **065:** Appropriate Treatment for Children with Upper Respiratory Infection (URI)- **High Priority**
- **066:** Appropriate Testing for Children with Pharyngitis- **High Priority**
- **091:** Acute Otitis Externa (AOE): Topical Therapy- **High Priority**
- **093:** Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy - Avoidance of Inappropriate Use- **High Priority**
- **107:** Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- **116:** Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis- **High Priority**
- **130:** Documentation of Current Medications in the Medical Record-**High Priority**
- **131:** Pain Assessment and Follow-Up-**High Priority**
- **187:** Stroke and Stroke Rehabilitation: Thrombolytic Therapy
- **226:** Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
- **254:** Ultrasound Determination of Pregnancy Location for Pregnant Patients with Abdominal Pain
- **255:** Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure
- **317:** Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented
- **331:** Adult Sinusitis: Antibiotic Prescribed for Acute Viral Sinusitis (Overuse) - **High Priority**
- **332:** Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use) - **High Priority**
- **333:** Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse) - **High Priority**
- **402:** Tobacco Use and Help with Quitting Among Adolescents
- **415:** Emergency Medicine: Emergency Department Utilization of CT for Minor Blunt Head Trauma for Patients Aged 18 Years and Older- **High Priority**
- **416:** Emergency Medicine: Emergency Department Utilization of CT for Minor Blunt Head Trauma for Patients Aged 2 Through 17 Years- **High Priority**
- **431:** Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling
- **464:** Otitis Media with Effusion: Systemic Antimicrobials - Avoidance of Inappropriate Use- **High Priority**

Additional Measures:

- **001:** Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%)- **Outcome, High Priority**
- **047:** Care Plan- **High Priority**
- **110:** Preventive Care and Screening: Influenza Immunization
- **111:** Pneumococcal Vaccination Status for Older Adults
- **128:** Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan

Promoting Interoperability (PI) Reporting Requirements:



- Use of a 2015 Certified Electronic Health Record System (CEHRT)
- Report the measures from each of the four objectives, unless an exclusion is claimed.


Objectives	Measures	Maximum Points
Protect Patient Health Information	Security Risk Analysis	0 points
e-Prescribing	e-Prescribing*	10 points
	<i>Bonus: Query of Prescription Drug Monitoring Program (PDMP)</i>	5 bonus points
	<i>Bonus: Verify Opioid Treatment Agreement</i>	5 bonus points
Health Information Exchange	Support Electronic Referral Loops by Sending Health Information*	20 points
	Support Electronic Referral Loops by Receiving and Incorporating Health Information*	20 points
Provider to Patient Exchange	Provide Patients Electronic Access to Their Health Information	40 points
Public Health and Clinical Data Exchange	<u>Report to two different public health agencies or clinical data registries for any of the following:</u> Immunization Registry Reporting* Electronic Case Reporting * Public Health Registry Reporting* Clinical Data Registry Reporting* Syndromic Surveillance Reporting*	10 points

Bolded text in the table denotes required measures.

*Exclusion available for measures identified.

Improvement Activities (IA) Reporting Requirements:

Attest to up to 4 activities for a minimum of 90 days



Choose one of the following combinations:

- 2 High Weighted Activities
- 1 High Weighted Activity and 2 Medium Weighted Activates
- 4 Medium Weighted Activities


Medium Weighted:

- IA_PSPA_5: Annual registration in the Prescription Drug Monitoring Program
- IA_PSPA_18: Measurement and improvement at the practice and panel level
- IA_PSPA_19: Implementation of formal quality improvement methods, practice changes, or other practice improvement processes
- IA_PSPA_20: Leadership engagement in regular guidance and demonstrated commitment for implementing practice improvement changes
- IA_CC_2: Implementation of improvements that contribute to more timely communication of test results
- IA_PSPA_15: Implementation of an ASP
- IA_BE_13: Regularly assess the patient experience of care through surveys, advisory councils and/or other mechanisms.
- IA_CC_4: TCPI participation
- IA_PSPA_16: Use of decision support and standardized treatment protocols
- IA_PSPA_8: Use of patient safety tools
- IA_PSPA_7: Use of QCDR data for ongoing practice assessment and improvements
- IA_BMH_2: Tobacco use

High Weighted:

- IA_AHE_1: Engagement of new Medicaid patients and follow-up
- IA_BE_6: Collection and follow-up on patient experience and satisfaction data on beneficiary engagement
- IA_EPA_1: Provide 24/7 Access to MIPS Eligible Clinicians or Groups Who Have Real-Time Access to Patient's Medical Record

Cost Reporting Requirements:



- CMS will use data from Medicare Part A and B claims—with dates of service from January 1, 2019 to December 31, 2019—to calculate your Cost performance category score.
- You do not need to submit any data or take any separate actions for this performance category
- MIPS eligible clinicians should continue to see patients and submit claims data as usual.

Measure	Minimum Case Volume	Maximum Points
Total Per Capita Costs for All Attributed Beneficiaries	20	10
Medicare Spending Per Beneficiary	35	10
Elective Outpatient Percutaneous Coronary Intervention (PCI)	10	N/A – Not Scored
Knee Arthroplasty	10	10
Revascularization for Lower Extremity Chronic Critical Limb Ischemia	10	10
Routine Cataract Removal with Intraocular Lens (IOL) Implantation	10	10
Screening/Surveillance Colonoscopy	10	N/A – Not Scored
Intracranial Hemorrhage or Cerebral Infarction	20	10
Simple Pneumonia with Hospitalization	20	10
ST-Elevation Myocardial Infarction (STEMI) with Percutaneous Coronary Intervention (PCI)	20	N/A – Not Scored